


Serge Ferrari



Stamoid

Marine



Marine



The Marine range from **Serge Ferrari** makes your life easier onboard.

Thanks to its waterproofness, high mechanical resistance and UV filtration, the Stamoid range (Easy, Heavy Cover, Light and Smart 1) is the perfect product to protect your equipment from all kinds of weather conditions. Using Stamoid as a winter cover or an equipment cover will ensure your fittings last a long time. Lightness, compactness and quick cleaning make the handling easy so you can enjoy sailing. In addition, the wide range of colours (especially white) allows us to match perfectly to the gelcoat.

Serge Ferrari also improves the comfort of the people on board. Behind a sprayhood or a cockpit enclosure made with Stamoid Top or Stamoid Smart 2, you will be completely protected from wind, rain and spray. Our Soltis range is the perfect product to make a bimini top, sailshade and windscreen protection, ensuring better thermal & visual comfort while keeping the view to the sea while maintaining privacy during mooring.

Thanks to its upholstery ranges, **Serge Ferrari** offers the possibility to improve the wellness feeling onboard. Two finishes are available: artificial leather with Stamskin range and textile look with Batyline Eden. These innovative solutions offer easy cleaning, resistance to sun cream and marine environment (salt, UV etc...).

Equipment protection

The equipment protection range fabrics are exceptionally flexible, making them easy to handle, fold and stow in tight places and are 100% waterproof. Stamoid membranes from **Serge Ferrari** give you a homogeneous choice of colours which match perfectly with any kind of boat, yacht or sailboat.

	Stamoid			
	Easy	Heavy Cover	Light	Smart 1
Seat cover			•	•
Cockpit bench cover			•	•
Pilot seat cover			•	•
Console cover			•	•
Sail cover				•
Dinghy cover	•	•	•	•
Winter cover	•	•		

Crew protection

The Stamoid range's worldwide reputation is founded on its unequalled advantages in the boating environment for all applications involving protection against bad weather or UV radiation.

To improve the comfort onboard, **Serge Ferrari** has created Stamoid Top and Stamoid Smart, two membranes for perfect protection in all weather conditions.

The Soltis range ensures an efficient solar protection (thermal and visual) for the people on board to enjoy the pleasure of boating.

	Stamoid		Soltis		
	Top	Smart 2	Horizon 86	Perform 92	Proof W96
Cockpit enclosure	•	•			
Sprayhood	•	•			
Bimini Top	•	•	•	•	•
Sun shade	•	•	•	•	•
Soft-Top	•	•			•
Retractable awning	•	•	•	•	•
T-Top	•	•			•
Windscreen protection			•		



Marine



Stamoid Easy	176
Stamoid Heavy Cover	178
Stamoid Light	180
Stamoid Smart 1	182
Stamoid Top	184
Stamoid Smart 2	186

Main applications

Mooring covers
Winter covers



Resistant and easy to clean

Serge Ferrari technology
accessible to everyone

Major advantages

- High mechanical resistance
- Easy to clean
- Waterproof

Other applications

- Dinghy covers

Technical specifications


Weight	430 g/m ² - EN ISO 2286-2
Standard format length	30 lm
Tensile strength (warp/weft)	230/230 daN/5cm - EN ISO 1421
Tear strength (warp/weft)	32/28 daN - DIN 53.363
Colour light fastness	> 4/5 (1000 hours) - QUVA test according ASTM G154
UV filtration	UPF 50+ - NF EN 13758-1 + A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Extreme use temperatures	-20°C/+70°C
Warranty	2 years
MOQ	2000 lm
Maximum delivery time	4 working weeks
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari Cleaner Lyb-2 Silcord Promised delivery dates guaranteed up to 500 lm

The technical data above are averaged values
with a +/- 5% tolerance.


**Smart Coating
Technology**

Serge Ferrari Stamoid


Easy
5 colours




White F4748-03244




Ivory F4748-10081



Pearl grey F4748-10001



Royal blue F4748-04997



Navy F4748-10235

Serge Ferrari Stamoid

Heavy Cover

Main applications

Mooring covers
Winter covers



High mechanical resistance

Stronger protection especially for winter covers, durability and easy cleaning.

Major advantages

- High mechanical resistance
- Waterproof
- Long lasting colours

Other applications

- Dinghy covers

Technical specifications


Weight	520 g/m ² - EN ISO 2286-2
Standard format length	30 lm
Tensile strength (warp/weft)	320/350 daN/ 5 cm - EN ISO 1421
Tear strength (warp/weft)	47/51 daN - DIN 53.363
Colour light fastness	> 4/5 (1000 hours) - ISO 105-B02
UV filtration	UPF 50+ - NF EN 13758-1+A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Warranty	5 years
MOQ	2000 lm
Maximum delivery time	4 working weeks
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari cleaner Lyb-2 Silcord

The technical data above are averaged values with a +/- 5% tolerance.


**Smart Coating
Technology**

Serge Ferrari Stamoid


Heavy Cover
5 colours




White F4313-03244




Sand F4313-01897



Pearl grey F4313-10001



Cloud grey F4313-20218



Navy F4313-10235

Serge Ferrari | Stamoid Light

Main applications

Mooring covers
Winter covers



Light & compact

Durable and lightweight protection that is easy to maintain.

Major advantages

- Easy cleaning
- Waterproof
- Long lasting colour
- Light & compact (300 g/m²)
- Wide white colour palette

Other applications

- Table covers
- Wheel covers

Technical specifications


Weight	300 g/m ² - EN ISO 2286-2
Standard format length	30 lm in 260 cm/50 lm in 150 cm
Tensile strength (warp/weft)	100/100 daN/ 5 cm - EN ISO 1421
Tear strength (warp/weft)	7/7 daN - DIN 53.363
Colour light fastness	> 4/5 (1000 hours) - ISO 105-B02
UV filtration	UPF 50+ - NF EN 13758-1+A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Warranty	5 years
MOQ	2000 lm
Maximum delivery time	4 working weeks
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari cleaner Lyb-2 Silcord

The technical data above are averaged values with a +/- 5% tolerance.


**Smart Coating
Technology**

Serge Ferrari Stamoid Light


16 colours




Snow White F4128-10309




White F4128-03244




Cream F4128-10204




Ivory F4128-10081




Sand F4128-01897




Desert F4128-20217




Taupe F4128-20165




Pearl grey F4128-10001




Royal Blue F4128-04997




Navy F4128-10235




Silver F4128-10124




Cloud grey F4128-20218




Evergreen F4128-20031



Bordeaux F4128-20042



Charcoal F4128-20166



Black F4128-00002

Serge Ferrari Stamoid Smart 1

Main applications

Mooring covers
Equipment covers (upholstery, console, wheel)



Breathable & waterproof

The best of technology to make life easier on board

Major advantages

- 20 % lighter and 60 % more space available than standard protection
- Waterproof & breathable
- Easy cleaning
- 100 % UVB protection
- Long lasting colour

Other applications

- Mooring covers
- Sail covers (lazy-bag, UV straps)

Technical specifications


Weight	280 g/m ² - EN ISO 2286-2
Standard format length	30 lm
Tensile strength (warp/weft)	125/140 daN/ 5 cm - EN ISO 1421
Tear strength (warp/weft)	14 daN/30 daN - DIN 53.363
Colour light fastness	> 4/5 (1000 hours) - QUVA test according ASTM G154
UV filtration	UPF 50+ - NF EN 13758-1 + A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Warranty	7 years
MOQ	2000 lm
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari cleaner SK seam-sealer Silcord

The technical data above are averaged values with a +/- 5% tolerance.


**Smart Coating
Technology**

Serge Ferrari Stamoid


Smart 1
5 colours




White F4160-03244




Sand F4160-01897



Royal Blue F4160-04997



Pearl grey F4160-10001



Anthracite F4160-20166

Serge Ferrari Stamoid Top

Main applications

Bimini top
Cockpit enclosure



UPF 50+: 100% UV protection

Unrivalled performance
to protect the crew

Major advantages

- Extreme resistance to UV & mould
- 100% UVB protection
- Easy cleaning
- Waterproof
- Long lasting colours

Other applications

- Sprayhoods
- Shade sails
- Retractable roofs

Technical specifications

Weight	430 g/m ² - EN ISO 2286-2
Standard format length	30 lm in 260 cm/50 lm in 150 cm
Tensile strength (warp/weft)	120/120 daN/ 5 cm - EN ISO 1421
Tear strength (warp/weft)	6/7 daN - DIN 53.363
Colour light fastness	> 4/5 (1000 hours) - ISO 105-B02
UV filtration	UPF 50+ - NF EN 13758-1+A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Warranty	5 years
MOQ	2000 lm
Maximum delivery time	4 working weeks
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari cleaner Lyb-2 Silcord


The technical data above are averaged values
with a +/- 5% tolerance.

**Smart Coating
Technology**


Serge Ferrari Stamoid

Top


15 colours




Snow White F3933-10309




White F3933-03244




Cream F3933-10204




Ivory F3933-10081




Sand F3933-01897




Desert F3933-20217




Taupe F3933-20165




Pearl grey F3933-10001




Royal blue F3933-04997




Navy F3933-10235




Cloud grey F3933-20218




Evergreen F3933-20031



Bordeaux F3933-20042



Charcoal F3933-20166



Black F3933-00002

Serge Ferrari Stamoid Smart 2

Main applications

Bimini tops
Cockpit enclosures



Breathable & waterproof

The best of technology to protect the people on board

Major advantages

- Resistant to extreme temperatures (-50°C/+120 °C)
- Waterproof & breathable
- Easy cleaning (resistant to sunscreen and oil)
- 100 % UVB protection
- Long lasting colours

Other applications

- Shade sails
- Retractable roofs

Technical specifications


Weight	340 g/m ² - EN ISO 2286-2
Standard format length	30 lm
Tensile strength (warp/weft)	125/150 daN/ 5 cm - EN ISO 1421
Tear strength (warp/weft)	14 daN/30 daN - DIN 53.363
Colour light fastness	≥7 - ISO 105-B02
UV filtration	UPF 50+ - NF EN 13758-1 + A1
Mould resistance	Degree 0, excellent - EN ISO 846-A
Warranty	10 years
MOQ	2000 lm
Provided services	Special colour
Accessories	Stamoid Edge Serge Ferrari cleaner SK seam-sealer Silcord

The technical data above are averaged values with a +/- 5% tolerance.


**Smart Coating
Technology**

Serge Ferrari Stamoid


Smart 2
5 colours




White F3960-03244




Sand F3960-01897



Taupe F3960-20165



Pearl grey F3960-10001



Anthracite F3960-20166

