

Serge Ferrari



Stamskin

Furniture
Upholstery



Furniture Upholstery



Thanks to its Smart Coating technology, the **Serge Ferrari** Stamskin brand has been a reference on the upholstery market for decades. Customers appreciate the ease of process, ease of maintenance and long lasting surface quality of the Stamskin products range.

Customers' demand has evolved to more designed products which procures sensorial wellbeing through a softer touch. The new product Stamskin One represents a real innovation offering a peach skin surface while keeping the **Serge Ferrari** guarantees of high performance membranes.

Indoor Upholstery

The Stamskin's great technical performance in terms of safety, durability and cleanability allows the creation of quality furniture specifically designed for public spaces, hospitality, healthcare, wellness and residential environments.

The 4 different grains and the large palette of colours of these products offer creative possibilities while ensuring a harmonious combination with the surrounding materials: wood, steel, aluminum...

The quality of the product and the safety of the end user are part of our preoccupations:

- major flame retardancy certifications
- great abrasion resistance properties
- non cytotoxicity and skin irritation tests
- no visual damage and no change of surface perception over time (no folding).

	Stamskin				
	Top	Top club	Zen	One	One allure
Public spaces (Airports, malls, etc.)	•	•			
Hospitality	•	•	•	•	•
Healthcare			•	•	•
Wellness			•	•	•
Residential				•	•

Outdoor Upholstery

The Stamskin range is a great design partner for outdoor upholstery applications too. Thanks to its water resistant characteristics, the internal components of the upholstered parts remain safe during the whole product's lifetime. It also conforms to high quality standards for outdoor applications such as UV resistance, colour stability and resistance to harsh environments such as seaside atmospheres or extreme temperatures.

The Stamskin range is already approved by boat builders all around the world for its tenacity and colour fastness resistance.

Thanks to the flexibility of Stamskin, the work of the upholsterer is also facilitated: it is easy to form and shape. It also offers a great tear resistance allowing for easy sewing and stapling.

	Stamskin				Batyline		Stamoid	
	Top	Top club	One	One allure	Eden	Lounge	Light	Smart 1
Public spaces	•	•						
Hospitality	•	•						
Marine upholstery			•	•	•	•		
Cushions			•	•	•	•		
Residential			•	•	•			
Furniture covering							•	•

Batyline Eden: a textile look and touch with waterproof properties

Batyline Eden is a sophisticated and design response to demanding customers who want to ally a high level of technical performance with a familiar look and feel. The deep weaving brings a natural material effect and the warm touch and feel participates to the comfort perception of the finished product.

Our expertise and know-how guarantees **Serge Ferrari**'s excellence with unique technical properties:

- Cleanability and stain resistance
- Abrasion resistance
- Peeling resistance

Cushions

Stamskin, Batyline Eden and Lounge have been designed for cushions. These cushions bring additional value to settings such as comfort and accent colours with incomparable durability.

Furniture Covering

To protect outdoor equipment, **Serge Ferrari** can also supply its technical fabrics such as Stamoid Light or Stamoid Smart 1.

These technical fabrics have a maximized UV protection and are waterproof. They are light, easy to handle, and have a very low storage volume.

Today Stamoid products are a preferred choice to cover and protect boats in extreme weather conditions. They can also be used to protect your furniture, grill and other valued equipment on land as well.



Furniture Upholstery



Stamskin Top	216
Stamskin Top club	218
Stamskin Top FR	220
Stamskin Zen	222
Stamskin One	224
Stamskin One allure	226
Batyline Eden WP	228
Batyline Lounge	230

Serge Ferrari Stamskin Top

Main applications

Chairs, armchairs and sofas upholstery
Seating elements for public areas



High durability

The classical Stamskin quality:
high resistance and cleanability



Major advantages

- High flexibility for a perfect finish
- Fire resistance
- Large palette of colours


Technical specifications

Weight	780 g/m ² - EN ISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	440/280 daN/5 cm - EN ISO 1421
Abrasion resistance	> 120 000 cycles - EN ISO 12947-2 Martindale
Mould resistance	Degree 0, excellent - EN ISO 846-A
Flame retardancy	M2 /NFP92.507 — Test cigarette/Match EN 1021.1-1021.2 — IMO MSC.307 (88) (201 FTP Code) Annex 1 part 8 — Aeronautical test FAR /JAR 28-853/855
Warranty	5 years
MOQ*	1000 lm
Maximum delivery time	4-6 working weeks
Provided services	Special colour Special width Cut length Promised delivery guaranteed up to 300 lm


* This MOQ is for the category C colours.

**Smart Coating
Technology**


Serge Ferrari Stamskin Top 33 colours




Marble F4340-10120




Sand F4340-5029




Sahara F4340-20279




Lichen F4340-20291




Baltic F4340-20290




Blush F4340-20293



Peony F4340-20287




Burgandy F4340-20283




Carmine red F4340-07479




Sari F4340-20295




Cinnabar red F4340-07478




Capucine F4340-20280




Bamboo F4340-20300




Golden F4340-20281



Yellow F4340-20299




Turquoise F4340-20294



Cactus F4340-20296




Brown green F4340-20241




Olive F4340-20253




Cedra F4340-20282




Oslo F4340-20289




Capri F4340-20288




Adriatic F4340-20284




Ink F4340-10295




Taupe F4340-20237




Alezan F4340-20286




Brandy F4340-20278




Havana F4340-20285




Chocolate F4340-20129



Mist F4340-20161



Mouse grey F4340-07432



Pebble F4340-07445



Black F4340-00002

Main applications

Chairs, armchairs and sofas upholstery
Seating elements for public areas



High durability

The Stamskin quality with classic elegance



Major advantages

- High flexibility of the material for a perfect finish
- Phthalate free, highly cleanable and meet fire resistance standards
- Classic leather grain for a timeless chic design


Technical specifications

Weight	780 g/m ² - EN ISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	440/280 daN/5 cm - EN ISO 1421
Abrasion resistance	> 120 000 cycles - EN ISO 12947-2 Martindale
Mould resistance	Degree 0, excellent - EN ISO 846-A
Flame retardancy	M2 /NFP92.507 — Test cigarette/Match EN 1021.1-1021.2 — IMO MSC.307 (88) (201 FTP Code) Annex 1 part 8 — Aeronautical test FAR /JAR 28-853/855
Warranty	5 years
MOQ*	1000 lm
Maximum delivery time	4-6 working weeks
Provided services	Special colour Special width Cut length Promised delivery guaranteed up to 300 lm


* This MOQ is for the category C colours.

**Smart Coating
Technology**


Serge Ferrari  **Stamskin**
 Top club
 15 colours




Sand F4340-5029P




Sahara F4340-20279P




Burgandy F4340-20283P




Capucine F4340-20280P




Golden F4340-20281P




Olive F4340-20253P




Cedra F4340-20282P




Adriatic F4340-20284P




Taupe F4340-20237P




Alezan F4340-20286P




Brandy F4340-20278P




Havana F4340-20285P



Chocolate F4340-20129P



Pebble F4340-07445P



Black F4340-00002P

Main applications

Chairs, armchairs and sofas upholstery
Seating elements for public areas



The classic Stamskin quality

A unique durability with high fire resistance properties



Major advantages

- High durability for long lasting design
- Meet the highest fire resistance requirements
- High cleanability for easy maintenance


Technical specifications

Weight	930 g/m ² - ENISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	> 300 N/5 cm / > 200 N/5 cm - EN ISO 1421
Light stability	GS = 4 at 700 h - ASTM G 154: UVA 340
Abrasion resistance	> 120 000 cycles - EN ISO 12947-2 Martindale
Mould resistance	Degree 0, Excellent EN ISO 846-A
Flame retardancy	M2 /NFP92.507/NFD 60-013 – AM18 regulation Test cigarette/Match EN 1021.1 – EN 1021.2 Pass with special condition /BS5852 Source 2 : Crib 5 — Class 1IM /UNI 9175 Class p-a with special condition / DIN 66084 — Pass / CAL TB 117
Warranty	5 years
MOQ*	1000 lm


* This MOQ is for the category C colours.

**Smart Coating
Technology**


Serge Ferrari  **Stamskin**
 Top FR
 15 colours




Mouse grey FR4340-07432




Pebble FR4340-07445




Black FR4340-00002




Cinnabar red FR4340-07478




Capri FR4340-20288




Havana FR4340-20285




Marble white FR4340-10120




Capucine FR4340-20280




Golden FR4340-20281




Burgundy FR4340-20283




Oslo FR4340-20289




Olive FR4340-20253



Cactus FR4340-20296



Alezan FR4340-20286



Taupe FR4340-20237

Main applications

Indoor/outdoor hospitality chairs, armchairs and sofas
Spa and wellness centers furniture



Antimicrobial treatment and easy to clean

The ideal partner for hygienic seating solution with a skin friendly surface



Major advantages

- Extremely fine grain for a soft touch
- Specific treatment for hygienic protection and easy upkeep
- Complies with non cytotoxicity standards
- Fire resistance

Other applications

- Healthcare furniture

Technical specifications


Type	Phthalate-free multilayer composite
Weight	780 g/m ² - EN ISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	> 440/280 daN/5 cm - EN ISO 1421
Abrasion resistance	> 120 000 cycles - EN ISO 12947-2
Cytotoxicity	Complies - ISO 10993-5
Flame retardancy	M2/NFP 92-507 — 1530.3/AS/NZS — Group 2/AS/NZS 3837 VKF 5.3/SN 198898 — CAL TB n°117 — NFPA 260 — FAR/JAR 25-853-855 NF EN 1021-1/2 — K1/DIN 53438 -2 IMO MSC. 307 (88) (2010 FTP Code) Annex 1 Part 8 — Class 2.IM/UNI 9175-2010
Warranty	5 years
MOQ*	1000 lm
Maximum delivery time	4-6 working weeks
Provided services	Special colour Short production runs Cut length

* This MOQ is for the category C colours.


**Smart Coating
Technology**

Serge Ferrari Stamskin Zen


30 colours




Marble F4350-10120




Biscuit F4350-20156




Chestnut F4350-20151



Corn F4350-07477




Light orange F4350-20127




Pumpkin F4350-20158




Pink F4350-50458




Crimson F4350-50457




Lilac F4350-07480




Carmine red F4350-07479




Cinabre F4350-07478



Plum F4350-5349




Bamboo F4350-20159




Lagoon F4350-50454




Atoll F4350-5347




Turquoise F4350-20157




Purple blue F4350-50453



Indigo blue F4350-10295




Blue sky F4350-50455




Steel blue F4350-50456




Blue ray F4350-50418




Royal blue F4350-50452




Storm F4350-5065




Charcoal F4350-20153




Mist F4350-20161




Concrete grey F4350-20154




Ash F4350-20150



Coffee F4350-5015




Dark chocolate F4350-20152



Cotton F4350-20162

Main applications

Indoor/Outdoor residential chairs, armchairs and sofas
Marine upholstery



High performance design

The latest innovation for a sensorial experience with high performance qualities



Major advantages

- Unique soft touch and elasticity
- Insensibility to all chemical products, very easy to clean
- Extreme temperatures (-50/+150°C)
- Complies with non cytotoxicity standards
- Fire resistance

Other applications

- Healthcare and hospitality furniture

Technical specifications

Weight	650 g/m ² - EN ISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	350/280 daN/5 cm - EN ISO 1421
Light stability	GS = 4 at 700 h - ASTM G 154: UVA 340
Abrasion Resistance	> 120 000 cycles - EN ISO 12947-2 Met 2 Martindale
Mould resistance	Degree 0, excellent - EN ISO 846-A
Flame retardancy	M1 /NFP92.507 — BS 5852 (Crib 5) — NFD60-013 (AM18) — CAL TB 117-2013 NFPA 260 — Test cigarette/Match EN 1021.1-1021.2 IMO MSC.307 (88) (201 FTP Code) Annex 1 part 8 Aeronautical test FAR /JAR 28-853/855
Warranty	7 years
MOQ*	1000 lm
Maximum delivery time	4-6 working weeks
Provided services	Special colour Short production runs Cut length


This MOQ is for the category C colours.

**Smart Coating
Technology**


Serge Ferrari Stamskin

One


25 colours




Porcelain F4360-20231




Marble F4360-10120




Sand F4360-5029




Pastel green F4360-20243



Bamboo* F4360-20159



Brown-green F4360-20241




Olive green F4360-20253




Sand Vanilla F4360-20240




Biscuit F4360-20156




Yellow* F4360-20238




Slate F4360-20232




Taupe F4360-20237




Coffee F4360-5015




Chocolate F4360-5048




Black F4360-00002



Steel F4360-5003




Riviera blue F4360-20239




Ink F4360-20235




Navy F4360-5352




Brick F4360-20158




Cinnamon F4360-20236




Crimson F4360-20234



Pink F4360-20242



Cinabre F4360-07478



Carmine red F4360-07479

* For Indoor use only

Main applications

Chairs, armchairs and sofas for indoor/outdoor
Residential indoor/outdoor furniture



High performance design

The ideal partner for a safe and comfortable user experience



Major advantages

- Unique soft touch with a fine leather grain
- Insensitivity to all chemical products, very easy to clean
- Complies with non cytotoxicity standards
- Fire resistance


Technical specifications

Weight	650 g/m ² - EN ISO 2286-2
Standard format length	20 lm
Tensile strength (warp/weft)	> 350 N/5 cm / > 280 N/5 cm - EN ISO 1421
Light stability	GS = 4 at 700 h - ASTM G 154: UVA 340
Abrasion Resistance	> 120 000 cycles - EN ISO 12947-2 Met 2 Martindale
Mould resistance	Degree 0, excellent - EN ISO 846-A
Flame retardancy	M1 /NFP92.507 — BS 5852 (Crib 5) — NFD60-013 (AM18) — CAL TB 117-2013 NFPA 260 — Test cigarette/Match EN 1021.1-1021.2 IMO MSC.307 (88) (201 FTP Code) Annex 1 part 8 Aeronautical test FAR /JAR 28-853/855
Warranty	7 years
MOQ*	1000 lm
Maximum delivery time	4-6 working weeks


This MOQ is for the category C colours.

**Smart Coating
Technology**


Serge Ferrari  **Stamskin**
 One allure
 11 colours




Marble white F4360-10120P




Steel F4360-5003P




Slate F4360-20232P




Black F4360-00002P




Biscuit F4360-20156P




Taupe F4360-20237P




Coffee F4360-5015P




Yellow* F4360-20238P



Ink F4360-20235P



Carmin red F4360-07479P



Olive green F4360-20253P

* For Indoor use only

Main applications

Outdoor residential chairs and sofas upholstery
Outdoor residential furniture cushioning



Textile touch and look with waterproof properties

The unique combination of sling strength and upholstery softness



Major advantages

- Different materials association for a softer touch
- Natural and subtle colour effect
- Extreme outdoor resistance without sagging

Other applications

- Marine upholstery
- Outdoor Hospitality furniture


Technical specifications

Weight	470 g/m ² - EN ISO 2286-2
Standard format length	50 lm
Tensile strength (warp/weft)	240/150 daN/5 cm - EN ISO 1421
Light stability	GS = 4 at 700 h - ASTM G 154: UVA 340
Mould resistance	Degree 1 - EN ISO 846-A
Warranty	5 years
MOQ*	2000 lm with standard price +10%
Maximum delivery time	4-6 working weeks
Provided services	Special colour Special width Cut length Promised delivery guaranteed up to 300 lm


Please note also the possibility to get 1000 lm at standard price +25% and 500 lm at standard price +25% +1500 €

**Smart Yarn
Technology**


Serge Ferrari  **Batyline**
Eden WP
22 colours




Iceberg 7711-50718




Light grey 7711-50567




Pebble 7711-50566




Porcelain 7711-50719




Steel 7711-50720




Nutmeg 7711-50563




Beige grey 7711-50561




Dark brown 7711-50560




Shadow 7711-50555




Frozen brown 7711-50554




Dark chocolate 7711-50740




Eglantine 7711-50969




Stem 7711-50967




Daffodil 7711-50968




Midnight 7711-50557




Crocodile 7711-50971




Almond tree 7711-50970




Berry 7711-50972




Meridian 7711-50973



Ice cube 7711-50965



Creek 7711-50966



Blood orange 7711-50974

Main applications

Outdoor residential chairs and sofas upholstery
Outdoor residential furniture cushioning



Long lasting elegance

Batyline's performance with simple elegance



Major advantages

- Subtile colors with sophisticated depth
- Dries quickly and easy to clean
- Extreme outdoor resistance

Other applications

- Marine upholstery
- Outdoor Hospitality furniture


Technical specifications

	7720FR	7721FRWP
Weight	500 g/m ² - EN ISO 2286-2	525 g/m ² - EN ISO 2286-2
Standard format length	50 lm	50 lm
Tensile strength (warp/weft)	150/150 daN/5 cm - EN ISO 1421	150/150 daN/5 cm - EN ISO 1421
Light stability	GS = 4 at 700 h - ASTM G 154: UVA 340	GS = 4 at 700 h - ASTM G 154: UVA 340
Mould resistance	Methods A, Excellent EN ISO 846-A	Methods A, Excellent EN ISO 846-A
Flame retardancy	M2/NFP 92.507 — B1/DIN 4102-1 Pass/IMO MSC 307 (88) (2010 FTP CODE) annex 1 part 8 Pass/CAL TB 117 Pass/BS5852 Source 2	
Warranty	5 years	5 years
MOQ*	2000 lm	2000 lm


Please note also the possibility to get 1000 lm at standard price +25% and 500 lm at standard price +25% +1500 €

**Smart Yarn
Technology**


Serge Ferrari  **Batyline**
Lounge
12 colours




White 7720FR-5701




Quartz 7720FR-50932




Shea 7720FR-50931




Cheyenne 7720FR-50928




Reed 7720FR-50930




Safran 7720FR-50929




Sage 7720FR-5049




Encens/Zinc/Alu foncé 7720FR-5703




Sea spray 7720FR-50934



Noir/Anthracite/Alu foncé 7720FR-5706



Abyss 7720FR-50935



Pourpre 7720FR-5708

