


STYLE
6001 / 4001

WEAVING
EXCELLENCE
WITH
INNOVATION



STYLE 6001 / 4001

SheerWeave 6001 is a lightweight fabric woven to offer a polyester alternative to the delicate textures available among Phifer's fiberglass meshes. Our thinnest polyester fabric available to date, the 6001 style offers a softer hand and textile appearance in a robust PVC finish. SheerWeave 4001 is a 1% openness offering in Phifer's popular SheerWeave 4000 range. Suitable for interior and exterior, this stable, 2x2 basket weave is designed for strength, durability, and insulation.

FIRE CLASSIFICATION	Available for submission upon request.			
BACTERIA AND FUNGAL RESISTANCE	ASTM E 2180 GREENGUARD Mold and Bacteria Standard includes Microban antimicrobial additives	ASTM G21	AATCC30 Part 3	ASTM D 3273
ENVIRONMENTAL CERTIFICATION	GREENGUARD	GREENGUARD Gold	Certified to these standards for low chemical emissions into indoor air during product usage	
SAFE USE	RoHS/Directive 2002/95/EC ANSI/WCMA A 100.1-2007 for lead content US Consumer Product Safety Commission Section 101		REACH (EC 1907/2006) compliant	
WARRANTY	10-year interior	5-year exterior		
UV PROTECTION	Seal of Approval by the Melanoma International Foundation (MIF) for effectiveness in preventing sun damage to the skin or eyes			

STYLE	6001	4001
WIDTHS	63" to 126" 160.0 cm to 320 cm	63" to 126" 160.0 cm to 320 cm
ROLL LENGTH	30 Linear Yards 27.4 Linear Meters	25 Linear Yards 22.8 Linear Meters
COMPOSITION	19% Polyester 81% Vinyl on Polyester	24% Polyester 76% Vinyl on Polyester
MESH WEIGHT	15.8 oz/yd ² 535 g/m ²	21.4 oz/yd ² 725 g/m ²
FABRIC THICKNESS	0.025 in 0.63 mm	0.037 in 0.94 mm
OPENNESS FACTOR	Approximately 1%	Approximately 1%
UV BLOCKAGE	Approximately 99%	Approximately 99%
MINIMUM ORDER QUANTITY	1400 Lineal Yards 1280 Lineal Meters	1400 Lineal Yards 1280 Lineal Meters


PHIFER
INCORPORATED

P. O. Box 1700 • Tuscaloosa, Alabama 35403 -1700 USA
Phone: 205.345.2120 • FAX: 205.391.0799
Toll Free USA/Canada: 1.800.221.5497
phifer.com • ISO Registered



© SheerWeave is a registered trademark of PHIFER INCORPORATED.
© MICROBAN is a registered trademark of Microban Products Company.
™ UL, the UL logos and the UL mark are trademarks of UL LLC.
© PHIFER INCORPORATED V19

Code	Color	SOLAR OPTICAL PROPERTIES				SHGC/G VALUE	
		TS	RS	AS	TV	SINGLE 1/4 CL	INSULATING 1 HA
STYLE 6001							
P07	Alabaster	8	63	29	4	0.29	0.27
P10	Granite	4	45	52	3	0.39	0.22
Q15	Greystone	4	36	60	3	0.43	0.29
V07	Pewter	4	32	64	3	0.45	0.30
V15	Ash	2	14	84	2	0.55	0.35
Q16	Tobacco	2	5	93	2	0.59	0.37
STYLE 4001							
P06	White	9	79	12	6	0.20	0.18
P67	Chalk Heather	5	60	35	4	0.30	0.23
P10	Granite	3	53	43	3	0.34	0.24
V07	Pewter	2	30	68	2	0.46	0.30
P07	Alabaster	5	67	28	4	0.26	0.21
U32	Linen	7	69	24	4	0.25	0.20
Q12	Pebblestone	3	53	44	2	0.34	0.24
Q15	Greystone	2	41	57	2	0.40	0.28
Q15	Ash	1	11	88	1	0.56	0.35
Q16	Tobacco	1	5	94	1	0.59	0.37
V10	Ebony	1	3	96	1	0.60	0.37



PROTECTION THAT LIVES ON
MICROBAN

Microban® antimicrobial protection inhibits the growth of stain-causing bacteria, mold and mildew on the shade.



PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL COM/GG
UL 2818



MIF Seal of Approval



Safe Use



Energy Saving



Printable



10
YEAR
Interior Warranty



5
YEAR
Exterior Warranty

TS = Solar Transmittance
RS = Solar Reflectance
AS = Solar Absorptance
TV = Visual Transmittance

SHGC = Solar Heat Gain Coefficient

1/4 CL = 1/4" Clear Glass
1 HA = 1" Heat Absorbing Glass


Fabrics Installed Internally
Zero-Degree Profile Angle

For additional performance values, test references and technical definitions visit us at www.phifer.com.


P07 Alabaster




P10 Granite




Q15 Greystone



V07 Pewter



V15 Ash




Q16 Tobacco




STYLE 4001


P06 White




P67 Chalk Heather




P10 Granite




V07 Pewter




P07 Alabaster




U32 Linen




Q12 Pebblestone



Q15 Greystone



V15 Ash



Q16 Tobacco



V10 Ebony

